



SHREYANS IMPORTS AND EXPORTS

Address: Plot 6/2, Shed No 6, Sumukh Ind Estate, Phase 1, Opposite Kiran Industries, GIDC, Vatva, Ahmedabad 382445, India
Cell: +91 90 999 89 276, +91 90 999 89 280 Web: www.shreyanswater.com

1. About SANKING GROUP

Brand SANKING is Professional in manufacturing PVC / CPVC / PP / Clear PVC / PPH / HT-CPVC / PVDF Valves, Pipes and Fittings. As the FIRST and one of the largest factory processing valves via CNC machine, we enjoy a good reputation internationally and the products are widely distributed to more than 35 countries worldwide, also cooperated with some well-know brands in global markets. All products meet drinking water standard and well used in industrial and commercial areas such as sewage and water treatment, chemical and medical industries, food processing, SPA, swimming pools, etc. If you are interested in Sanking products, kindly feel free to contact us.

2. Products Preview

Brand: SANKING

Certifications: American NSF, European CE, ISO 9001

Standard: Pipes (ASTM SCH80, SCH40; DIN PN16, PN10) ; Fittings(ASTM SCH80, DIN PN16)
Valves(ASTM SCH80, DIN PN16, JIS, NPT, PT, BSP)

2.1 Products Series



2.1.1 KV Series – Ball Valves



2.1.2 KBV Series – Butterfly Valves



2.1.3 KDV Series – Diaphragm Valves



2.1.4 KCV Series – Check Valves



2.1.5 KJV Series – Foot Valves



2.1.6 CL Series – Clear PVC Industrial Piping Systems




2.1.7 UP Series – UPVC Industrial Piping Systems



2.1.8 CP Series – CPVC Industrial Piping Systems



2.1.9 PP Series – PPH Industrial Piping Systems



2.1.10 HT Series – HT-CPVC Industrial Piping Systems

2.1 Products Details

2.2.1 Ball Valves (PVC, CPVC, PP, Clear PVC, PVDF) ---- 1/2" ~ 4" (20mm - 110mm)\



"Old" Compact Ball Valve



New Compact Ball Valve



3G (third generation) Compact Ball Valve



4G Compact Ball Valve



Sampling Valve



PVC True Union Ball Valve E Type



PVC True Union Ball Valve



PP True Union Ball Valve



Clear PVC True Union Ball Valve



CPVC True Union Ball Valve



PVDF True Union Ball Valve



PVC / CPVC / PPH Flanged Ball Valve



Pneumatic Actuated Ball Valve



Electric Actuated Ball Valve



New Electric Actuator

2.2.2 Check Valves (PVC, CPVC, PP, Clear PVC)



PVC / CPVC / PP New Check Valve

1/2" ~ 2" (20mm - 63mm)



PVC / CPVC Swing Check Valve

2-1/2" ~ 8" (75mm - 225mm)



PVC Foot Valve

1/2" ~ 8" (20mm - 225mm)



PVC/ PP Ball Check Valve

1/2" ~ 2" (20mm - 63mm)



CPVC Ball Check Valve

1/2" ~ 2" (20mm - 63mm)



Clear PVC Ball Check Valve

1/2" ~ 2" (20mm - 63mm)

2.2.3 Butterfly Valve (PVC, CPVC, PP) --- 1-1/2" ~ 12" (50mm - 315mm)



Butterfly Valve(Handle Level Type)



**Pneumatic Actuator
Butterfly Valve**



**Electric Actuator
Butterfly Valve**



**Butterfly Valve
(Worm Gear Type)**

2.2.4 Diaphragm Valves (PVC, CPVC, Clear PVC) --- 1/2" ~ 4" (20mm - 110mm)



True Union Diaphragm Valve



Socket Diaphragm Valve



Flanged Diaphragm Valve



PVDF Diaphragm Valve

2.2.5 Accessories (PVC, CPVC, PPH, HT-CPVC)



PVC / CPVC V/S Flange
1/2" ~ 12" (20mm - 315mm)



PVC / CPVC T/S Flange
1/2" ~ 8" (20mm - 225mm)



PVC / CPVC / PPH Union
1/2" ~ 4" (20mm - 110mm)



Brass Female Elbow(SxT)
1/2" ~ 4" (20mm - 110mm)



90 Degree Brass Female Elbow(SxT)
1/2" ~ 4" (20mm - 110mm)



Brass Female Tee(SxSxT)
1/2" ~ 4" (20mm - 110mm)

2.2.6 Fittings (PVC, CPVC, Clear PVC, PPH)



Coupling (SxS)
1/2" ~ 12" (20mm - 315mm)



Tee(SxS)
1/2" ~ 12" (20mm - 315mm)



Female Adapter(SxT)
1/2" ~ 2" (20mm - 63mm)



Male Adapter(SxT)
1/2" ~ 2" (20mm - 63mm)



90 Degree Elbow(SxS,SxT)
1/2" ~ 12" (20mm - 315mm)



45 Degree Elbow
1/2" ~ 12" (20mm - 315mm)



Reducing Bushing(SxS)
3/4" x 1/2" ~ 8" x 6"



Reducing Bushing(SxT)
1/2" x 1/4" ~ 1" x 3/4"



Reducing Socket(SxS)
3/4" x 1/2" ~ 2" x 1-1/2"



90 Degree Elbow(TxT)
1/2" ~ 12"(20mm - 315mm)



Cap(SxS)
1/2" ~ 4" (20mm - 110mm)



Socket(TxT)
1/2" ~ 12"(20mm - 315mm)



Saddle



Hose Adaptor



Nipple



Clear PVC Tee(SxSxS)
1/2" ~ 6"



Clear PVC 90 Degree Elbow(SxS)
1/2" ~ 6"



Clear PVC Coupling(SxS)
1/2" ~ 6"



PPH Reducing Socket(SxS)

25 x 20 ~ 110 x 90 mm



PPH Reducing Tee(SxSxS)

25 x 20 ~ 110 x 90 mm



PPH Tee(SxSxS)

20 – 110 mm



PPH 90 Degree Elbow(SxS)

20 – 110 mm



PPH 45 Degree Elbow(SxS)

20 – 110 mm



PPH Coupling(SxS)

20 – 110 mm

2.2.7 Pipes (PVC,CPVC,Clear PVC, PPH)



PVC,CPVC Pipe(SCH80/SCH40, PN16/PN10)

1/2" ~ 12"(20mm - 315mm)



Clear PVC Pipe SCH40

1/2" ~ 6"



PPH Pipe DIN

20 – 160 mm